





**HYGGE**  
MODERN LIGHTING

Outdoor & Garden **Collection**  
2025



EXTREME LIFE  
AESTHETICS FROM POINT  
LINE AND SURFACE  
FROM DESIGN INNOVATION  
TO LIGHT DESIGN INSTITUTE

**HYGGE**  
MODERN LIGHTING






LIST

WALL LIGHTS ..... 7


FLOOR LIGHTS ..... 43





OUTDOOR & GARDEN LIGHTS

## WALL LIGHTS

Modern outdoor and garden wall lights combine aesthetics and functionality, transforming outdoor spaces with stylish and efficient illumination. Featuring minimalist designs, weather-resistant materials, and soft, ambient lighting, these fixtures enhance walls, pathways, and green areas with a sophisticated touch. Some models include motion sensors & energy-efficient LED technology, providing both security & reduced power consumption. These lights create a warm & inviting atmosphere, making outdoor evenings more enjoyable and visually appealing.




| outdoor wall lamp | IP54 | 3000K | Epistar LED |



● black ○ white ● Dark grey






A modern outdoor wall light with a curved design emits a soft, diffused glow, enhancing the ambiance of any exterior space. Its sleek weather-resistant structure blends seamlessly with contemporary architecture while providing both style and functionality.

70A

Tiltable projector with fixed optic



**LightSource:**  
COB  
**CRI:**  
Ra>90  
**CCT:**  
3000k



**Material:**  
Aluminum  
**Power:**  
12w  
**Size**  
L123\*W60\*H70mm

**OPTIC:**  
15°/24°/36°/55°  
**Mainsvoltage:**  
DC24V



90A

Tiltable projector with fixed optic



**LightSource:**  
COB  
**CRI:**  
Ra>90  
**CCT:**  
3000k


**Material:**  
Aluminum  
**Power:**  
20w  
**Size**  
L153\*W80\*H90mm

**OPTIC:**  
15°/24°/36°/55°  
**Mainsvoltage:**  
DC24V



100A

Tiltable projector with fixed optic



**LightSource:**  
COB  
**CRI:**  
Ra>90  
**CCT:**  
3000k

**Material:**  
Aluminum  
**Power:**  
30w  
**Size**  
L166\*W80\*H104mm

**OPTIC:**  
15°/24°/36°/55°  
**Mainsvoltage:**  
DC24V






**Garden lamp**

AC 220-240VAC 50/60HZ  
IP65  
3000K  
Epistar LED  
Pure Aluminum  
36V  
300MA

300A  
12W





**Outdoor wall lamps** | 36V 300MA | 3000K | Aluminium

1A

Ø140\*80mm  
**12W**



A modern round wall light with a minimalist design and soft illumination, casting a warm and inviting glow. The elegant combination of metal and glass makes it a stylish choice for contemporary decor.





outdoor wall lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED |

350C 140\*140\*350  
8W



A modern rectangular wall light with a minimalist design and uniform illumination, adding a sleek and contemporary touch to any space. Its simple geometric form and high-quality materials make it an ideal choice for modern interiors.


● black ○ white ● Dark grey





| outdoor wall lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K | Epistar LED |

180\*140\*H100mm  
5W




● black ○ white ● Dark grey



| outdoor wall lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K | Epistar LED |

6W 135\*135\*35



12W 180\*180\*40



● black ○ white ● Dark grey






Description: Wall Lamp  
Material: Pure Aluminium  
Watts: 9w  
LED Input: Ac 90-260 vac 50/60hz Ip54  
Color: White  
Product Size(mm): 180\*270h\*60mm



| outdoor wall lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K | Epistar LED |

—  
150\*150\*40  
14W




● black ○ white





Garden lamp | AC 220-240VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 36V |






**Outdoor lighting** | 36V,300MA | 3000K | Aluminium

—  
LWA0551-1A

148\*200mm  
**12W**



**particulars**



●  
Black





**Outdoor wall lamp** | AC 90-260VAC 50/60HZ | IP54 | 3000K

— 520A

— 1080A

L520\*W90\*H130mm  
**20W**

L1080\*W90\*H130mm  
**40W**




Black




White



Grey



Local details



## FLOOR LIGHTS

Modern ground lights for gardens and outdoor spaces combine elegance and functionality, enhancing exterior environments with both beauty and efficiency. Crafted from weather-resistant materials, they offer durability against moisture, dust, and temperature changes. Their soft and balanced illumination not only lights up pathways and green areas but also creates a warm and inviting ambiance. These lights are an ideal choice for modern landscaping, driveways, courtyards, and luxury gardens, adding both practicality and a sophisticated aesthetic to outdoor settings.






Outdoor Lighting | 3000K | CREE LED | Aluminum | AC 220-240V AC 50/60HZ | Ip65 | 15°24°36°55°|

900A1  
10W 900\*115\*50MM

1200A2  
20W 1200\*180\*50MM

1600A3  
30W 1600\*180\*50MM





Arm



Applying a variety  
of outdoor lighting



Bollard

Bollard





25B





LightSource:  
COB  
  
CRI:  
Ra>90  
  
CCT:  
3000k

Tiltable projector with fixed optic

Material:  
Aluminum  
  
Power:  
2w  
  
Size  
L87\*W64\*H80mm  
  
OPTIC:  
15°/24°/36°/55°  
  
Mainsvoltage:  
DC36V



35B



LightSource:  
COB  
  
CRI:  
Ra>90  
  
CCT:  
3000k

Material:  
Aluminum  
  
Power:  
10w  
  
Size  
L97\*W64\*H100mm  
  
OPTIC:  
15°/24°/36°/55°  
  
Mainsvoltage:  
DC36V



55B Tiltable projector with fixed optic



**LightSource:**  
COB

**Material:**  
Aluminum

**OPTIC:**  
15°/24°/36°/55°

**CRI:**  
Ra>90

**Power:**  
18w


**Mainsvoltage:**  
DC36V

**CCT:**  
3000k

**Size**  
L123\*W64\*H132mm



80B



**LightSource:**  
COB

**Material:**  
Aluminum

**OPTIC:**  
15°/24°/36°/55°

**CRI:**  
Ra>90

**Power:**  
25w


**Mainsvoltage:**  
DC36V

**CCT:**  
3000k

**Size**  
L145\*W78\*H157mm



The base sizes have different options. Can be used as tree light and wall light, is very wide range of applications.



Fixed 15°beam



Fixed 24°beam



Fixed 36°beam




Fixed 55°beam



70B

Tiltable projector with fixed optic



**LightSource:**  
COB  
**CRI:**  
Ra>90  
**CCT:**  
3000k

**Material:**  
Aluminum

**Power:**  
12w

**Size**  
L150\*W70\*H64mm



**OPTIC:**  
15°/24°/36°/55°

**Mainsvoltage:**  
DC24V



90B

Tiltable projector with fixed optic



**LightSource:**  
COB  
**CRI:**  
Ra>90  
**CCT:**  
3000k

**Material:**  
Aluminum

**Power:**  
20w

**Size**  
L190\*W87\*H90mm



**OPTIC:**  
15°/24°/36°/55°

**Mainsvoltage:**  
DC36V



100B

Tiltable projector with fixed optic



**LightSource:**  
COB  
**CRI:**  
Ra>90  
**CCT:**  
3000k

**Material:**  
Aluminum

**Power:**  
30w

**Size**  
L201\*W87\*H104mm

**OPTIC:**  
15°/24°/36°/55°

**Mainsvoltage:**  
DC24V





lampshade



## Applying a variety of outdoor lighting

Jingying 0613 series can be applied to the wall, pile, tray, ground  
The full range of design can flexibly meet a variety of application scenarios.

Unique and plenty of color options, Honeycomb and Light shade cover accessories, the effect is shown in the following picture.



The base sizes have different options. Can be used as tree light and wall light, is very wide range of applications.

Applying a variety of outdoor lighting

## Applying a variety of outdoor lighting

Bollard





Outdoor wall lamps | 36V 300MA | 3000K | Aluminium


—  
520A

Ø140\*520mm  
12W

—  
820A

Ø140\*820mm  
12W


●  
Black






Outdoor Lighting | 3000K | CREE LED | Aluminum | AC 220-240V AC 50/60HZ | Ip65 | 40° |

**350B**  
12W W140\*L140\*388H




**500B**  
26W W140\*L140\*532H








Garden lamp | AC 220-240VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 36V | 300MA |






Garden lamp | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 30V | 100MA |

420A  
5W





680A  
5W






Garden lamp | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 36V | 300MA |








Garden lamp | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 36V | 300MA |





Garden lamp | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 36V | 300MA |












Garden lamp | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 36V







Garden lamp | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 36V






**garden light** | 36V 300MA | 3000K | Aluminium


550A

148\*550mm  
**12W**



850A


148\*850mm  
**12W**




**particulars**



●  
Black










Outdoor lighting | 36V,300MA | 3000K | Aluminium

1500A

Φ30\*H1500mm  
12W




2000A

Φ30\*H2000mm  
24W



2500A

Φ30\*H2500mm  
24W



particulars



●  
Black







159\*183\*365  
12W



159\*183\*565  
12W



159\*183\*815  
12W



Details




White
  Blue
  Grey
  Black
  Orange

159\*183\*365  
 159\*183\*565  
 159\*183\*815











Wall washer | AC 220-240VAC 50/60HZ | IP54 | 3000K

500A

L500\*H90mm  
10W



1000A

L1000\*H90mm  
22W



500B

L500\*H90mm  
10W



1000B


L1000\*H90mm  
22W




Grey



Black









| outdoor garden Lamp | IP54 | 3000K | Epistar LED |


1000A  
16W  
Φ38\*H1000mm



600B  
16W  
Φ38\*H600mm



600A  
8W  
Φ38\*H600mm




**Ground-insertable**




**Base mountable**



● black ○ white ● Dark grey








**Courtyard lights** | 36V,300MA | 3000K | Aluminium


600A

Ø120\*H600mm  
**12W**




900A

Ø120\*H900mm  
**18W**



1200A


Ø120\*H1200mm  
**24W**




**particulars**



Black









| outdoor garden Lamp | IP54 | 3000K | Epistar LED |


1050B  $\Phi 160 \times H1050\text{mm}$   
50W



2050B  $\Phi 160 \times H2050\text{mm}$   
100W



1550B  $\Phi 160 \times H1550\text{mm}$   
70W



● black ○ white ● Dark grey






| outdoor garden Lamp | IP54 | 3000K | Epistar LED |


1050A  
50W

Φ140\*H1050mm




2050A  
100W

Φ160\*H2050mm



1550A  
70W


Φ160\*H1550mm




● black ○ white ● Dark grey



 +971 588944442

 Hygge\_lighting

 Hyggelighting@yahoo.com

 www.hygge-lighting.com

 **HYGGE**  
MODERN LIGHTING